LED line LITE

Code: 231078

EAN: 5905378231078

LED strip 320 COB 24V 3000K 8W IP20 8mm 30m 760lm/m LITE

New

The new COB LITE LED strip series from LED line is the perfect combination of modern uniform lighting technology and an exceptionally affordable price. Designed for everyday domestic use, it completely eliminates the effect of visible light points, guaranteeing impeccable aesthetics. The availability of IP20 versions for dry interiors and IP66 versions with increased moisture resistance allows the strip to be perfectly matched to any project. In addition, a full 3-year manufacturer's warranty ensures peace of mind and the security of long-term use.



IP 20

30m

Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 8 W / m
Voltage	• 24 V DC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	90
IP protection rating	IP20
Cutting section	5 cm
Luminous efficacy	95
The lumen maintenance factor	96 %
Lifetime L70B50	30 000 h

Parameter	Value
Survival factor	0,9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤3
Maximum width of LED strip	8 mm
Luminous flux (1m)	760 lm
Current (1m)	0,33
Beam angle	180°
LED type	COB
LED quantity	320
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Height	2 mm

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line LITE

Code: 231078

EAN: 5905378231078

LED strip 320 COB 24V 3000K 8W IP20 8mm 30m 760lm/m LITE

Technical drawing


Light distribution


Additional product photos






Logistics data







Single packaging

Width	380 mm
Height	12 mm
Length	200 mm
Weight	0,57 kg

Bulk packaging

Quantity	20
Width	350 mm
Height	290 mm
Length	450 mm
Weight	12 kg

Europallet

Quantity	600
Height	1,8 m
Bulk quantity	20
Weight	400 kg

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line LITE

Code: 231078

EAN: 5905378231078

LED strip 320 COB 24V 3000K 8W IP20 8mm 30m 760lm/m LITE

Example application

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**