

LED line PRIME Code: 471079 EAN: 5907777471079

LED line downlight aluminium round white/silver

PRIME round LED line ceiling housing in elegant, white-silver finish is a combination of modern design and functionality. Made of aluminium casting ensures not only durability, but also aesthetic appearance, which perfectly fits into the characteristics of each interior. Designed for installation with LED bulbs with a maximum power of 35 W, it offers energy efficiency of up to 80%. Thanks to the simple design, the assembly is fast and seamless.





Technical data

Parameter	Value
Maximum suitable lamp power	35 W
Warranty (years)	5
IP protection rating	IP20
Colour	White-Silver
Lamp's diameter	50 mm
Material (housing)	Aluminum casting

Parameter	Value	
Type of surface suitable for installation	F	
Distance from illuminated surface	0.5 m	
Installation method	recessed	
Mounting hole diameter	75	
IEC protection class	III	



LED line PRIME Code: 471079 EAN: 5907777471079

LED line downlight aluminium round white/silver

Technical drawing

Light distribution

Additional product photos












Logistics data







Single packaging

Bulk packaging

Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 471079 EAN: 5907777471079

LED line downlight aluminium round white/silver

Example application