


LED line LITE

Code: 241741

EAN: 5901583241741

LED line® strip 300 SMD 24V RGB 14,4W IP65

LED strip 300 SMD 24V RGB from LED line LITE is an innovative lighting solution. It has a power of 14.4 W per metre, which provides energy efficiency. Thanks to the SMD5050 technology used and RGB function, the device offers the opportunity to obtain various colors and light effects. IP65 leak class guarantees resistance to moisture, making it ideal for internal and external applications.



Technical data

Parameter	Value	Parameter	Value
Voltage	• 24 V DC	Not dimmable	TAK
Colour of the light	RGB (multicolor)	Compatible dimmer type	PWM
Warranty (years)	3	Laminate (colour)	White
Dimmable function	PWM	Laminate (thickness)	2
Minimum purchase quantity	5	LED quantity (1m)	60
Lifetime L70B50	30 000 h	Cutting section	10 cm
Wattage (1m)	14,4	Type of adhesive tape	3M 300 LSE
Current (1m)	0,6	Lifespan	50 000 h
Metres per roll	5 m	Number of on/off cycles	50000
The lumen maintenance factor	>0,7	Ambient temperature suitable for operation	-20÷45
Beam angle	120	IEC protection class	III
LED type	SMD5050	Lamp's warm-up time to 60%	1 s


LED line LITE

Code: 241741


EAN: 5901583241741

**LED line® strip 300 SMD 24V RGB 14,4W
IP65**

Technical drawing



Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line LITE

Code: 241741

EAN: 5901583241741

**LED line® strip 300 SMD 24V RGB 14,4W
IP65**

Example application