

LED line PRIME

Code: 204225

EAN: 5905378204225

**LED line PRIME FUSION linear lamp  
60W 4000K 7800lm 30\*90° white**



**Technical data**

| Parameter                             | Value    |
|---------------------------------------|----------|
| Sling length                          | 200      |
| Luminous efficacy                     | 130 lm/W |
| Colour of the light                   | White    |
| Energy efficiency class 2019/2015     | C        |
| Luminous flux                         | 7800 lm  |
| Colour consistency in McAdam ellipses | ≤6       |
| Standby power                         | 0        |
| IP protection rating                  | IP20     |
| Warranty (years)                      | 5        |
| Survival factor                       | 0.9      |
| Lifetime L70B50                       | 50 000   |
| Mounting type                         | mixed    |
| Frequency of the supply voltage       | 50/60Hz  |
| Colour rendering index Ra             | 80       |

| Parameter                                  | Value          |
|--------------------------------------------|----------------|
| The lumen maintenance factor               | 96 %           |
| Power Factor                               | 0,9            |
| Ambient temperature suitable for operation | -20÷45 °C      |
| For indoor use                             | Inside         |
| IEC protection class                       | I              |
| IK protection rating                       | 08             |
| Lamp's warm-up time to 60%                 | 1              |
| Length                                     | 1444 mm        |
| Width                                      | 70 mm          |
| Height                                     | 52 mm          |
| Power                                      | • 60 W         |
| Voltage                                    | • 220-240 V AC |
| Correlated colour temperature              | • 4000 K       |

LED line PRIME

Code: 204225

EAN: 5905378204225


LED line PRIME FUSION linear lamp  
60W 4000K 7800lm 30\*90° white

Dimensions

Light distribution


Additional product photos

Logistics data




Single packaging

|        |            |
|--------|------------|
| Width  | 1444 mm    |
| Height | 52 mm mm   |
| Length | 70 mm mm   |
| Weight | 1,97 kg kg |



Bulk packaging

|                                         |             |
|-----------------------------------------|-------------|
| Number of pieces/tape in meters pack zb | 12 szt.     |
| Width                                   | 1550 mm mm  |
| Height of collective packaging          | 260 mm      |
| Length                                  | 260 mm mm   |
| Weight                                  | 23,89 kg kg |
| Volume                                  | 0,104 m3 m3 |



Europallet

|                                              |             |
|----------------------------------------------|-------------|
| Number of pieces/tapes in meters euro pallet | 144         |
| Quantity collective euro pallet              | 144 szt.    |
| Weight of a euro pallet                      | 286,8 kg kg |
| Pallet height                                | 1550 mm     |
| Quantity in 1 layer                          | 144 szt.    |
| Number of layers                             | 1           |

---

LED line PRIME

Code: 204225

EAN: 5905378204225

**LED line PRIME FUSION linear lamp  
60W 4000K 7800lm 30\*90° white**

---

**Example application**