

LED line

Code: 477064

EAN: 5907777477064

LED line® strip 600 SMD 24V 2700K
9,6W IP65



Technical data

Parameter	Value	Parameter	Value
Luminous efficacy	100 lm/W	LED quantity	600
Colour of the light	White	Compatible dimmer type	PWM
Energy efficiency class 2019/2015	F	Laminate (colour)	White
IP protection rating	IP65	Laminate (thickness)	2
Warranty (years)	3	LED quantity (lm)	120
Dimmable function	PWM	Cutting section	5
Survival factor	0,9	Type of adhesive tape	3M 300 LSE
Minimum purchase quantity	5	Colour consistency in MacAdam ellipses	≤3
Lifetime L70B50	30 000	Ambient temperature suitable for operation	-20÷45 °C
Wire length	200 mm	For indoor and outdoor use	YES
Wattage (lm)	9,6 W	IEC protection class	III
Luminous flux (lm)	960	Length	5000 mm
Current (lm)	0,4	Width	8 mm
Colour rendering index Ra	80	Height	3 mm
Metres per roll	5	Power	• 9.6
The lumen maintenance factor	96% %	Voltage	• 24 V DC
Beam angle	120 °	Correlated colour temperature	• 2700 K
LED type	SMD 2835		

LED line


Code: 477064

EAN: 5907777477064

LED line® strip 600 SMD 24V 2700K
9,6W IP65

Dimensions


Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

Number of pieces/tape in meters pack zb 100

Number of pieces/tapes in meters euro pallet	2400
Quantity collective euro pallet	60
Weight of a euro pallet	300 kg
Pallet height	1800
Quantity in 1 layer	6
Number of layers	10

LED line

Code: 477064

EAN: 5907777477064

**LED line® strip 600 SMD 24V 2700K
9,6W IP65**

Example application