

LED line PRIME Code: 201712 EAN: 5905378201712

LED bulb E14 6500K 9W 1170lm 230V 220° C37 DIM Ceramic PRIME





LED bulb E14 9W 6500K 1170Im C37 DIM by LED line PRIME is an advanced light source that has excellent energy efficiency and a high light stream of 1170 lumens. It offers a cold, white colour temperature of 6500 K, ideal for precise interior lighting. Thanks to the SMD2835 technology, it reaches a longevity of up to 30,000 hours and eliminates the flickering effect, which favours vision.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 9 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	130
Luminous flux	1170 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	Triac
Colour consistency in McAdam ellipses	≤6
Maximum power of the bulb	1170

Parameter	Value
Application	Frosted
Frequency of the supply voltage	50/60Hz
Lamp's type	0.9
Fixture's diameter	37 mm
Beam angle	220 °
LED type	SMD2835
Compatible dimmer type	TRIAC
Power Factor	0,7
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Colour	96
Material (housing)	Ceramics
Material (cover)	glass




LED line PRIME Code: 201712 EAN: 5905378201712

LED bulb E14 6500K 9W 1170lm 230V 220° C37 DIM Ceramic PRIME


Technical drawing


Light distribution



Additional product photos


Logistics data






Single packaging

Quantity	1
Width	68 mm
Height	142 mm
Length	68 mm
Weight	0,06 kg



Bulk packaging

Quantity	100
Width	500 mm
Height	270 mm
Length	255 mm
Volume	0,034 m3
Weight	7 kg



Europallet

Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 201712 EAN: 5905378201712

LED bulb E14 6500K 9W 1170lm 230V 220° C37 DIM Ceramic PRIME

Example application