MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Power supply for 3 phase rail LUMICANTO right white PRIME



Code: 210745

EAN: 5905378210745

Current connection to LUMICANTO rail right white PRIME is a modern solution with high functionality. It is characterized by working voltage 220-240V AC and rated current 16A, which ensures efficiency and safety of use. The plastic casing guarantees durability and the protection class against electrical shock I increases the safety level of the installation.



Technical data

Parameter	Value
Warranty (years)	5
Rated power	220-240V AC
Rated current	16A
Housing material	Plastic
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz

CE

Parameter	Value
Colour	White
Ambient temperature suitable for operation	5÷40
IEC protection class	L
Power supply connection	yes
Equivalent	XTS 11

MORE EFFICIENCY FOR THE LED WORLD



LE Jline

LED line PRIME

Code: 210745

Power supply for 3 phase rail LUMICANTO right white PRIME

Technical drawing


Additional product photos






Bulk packaging

Logistics data





Europallet

Single packaging

Light distribution

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 210745

EAN: 5905378210745

Power supply for 3 phase rail LUMICANTO right white PRIME

Example application