

LED line PRIME

product_card.label_product_code: 201057
product_card.label_product_gtin: 5905378201057

LINKER TRI-PROOF 80W 4000K
150lm/W 220-240V IP65 150cm PRIME



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
ULOR	3 %	Material (cover)	polycarbonate
Luminous efficacy	150 lm/W	Material (housing)	Polycarbonate
Colour of the light	White	Lifespan	100000
Energy efficiency class 2019/2015	D	Power Factor	0,95
Luminous flux	12000 lm	Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
IP protection rating	IP65	Ambient temperature suitable for operation	-25÷45 °C
Warranty (years)	5	For indoor and outdoor use	YES
Survival factor	0.9	IEC protection class	I
Lifetime L70B50	100 000	Full box quantity	4 pc
Frequency of the supply voltage	50/60Hz	Lamp's warm-up time to 60%	1
Colour rendering index Ra	80		
Colour	Grey	Power	• 80 W
The lumen maintenance factor	96 %	Voltage	• 220-240 V AC
Beam angle	120 °	Correlated colour temperature	• 4000 K

LED line PRIME


product_card.label_product_code: 201057 product_card.label_product_gtin: 5905378201057

LINKER TRI-PROOF 80W 4000K
150lm/W 220-240V IP65 150cm PRIME


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




product_card.label_single_package

Width	70 mm
Height	1520 mm mm
Length	60 mm mm
Weight	1,43 kg kg



product_card.label_collective_package

Number of pieces/tape in meters pack zb	12 szt.
Width	1538 mm mm
Height of collective packaging	288 mm
Length	246 mm mm
Weight	17,51 kg kg
Volume	0,108 m3 m3



product_card.label_europalette

Number of pieces/tapes in meters euro pallet	144
Quantity collective euro pallet	144 szt.
Weight of a euro pallet	1260,72 kg kg
Pallet height	1728 mm
Quantity in 1 layer	144 szt.
Number of layers	1

LED line PRIME

product_card.label_product_code: 201057 product_card.label_product_gtin: 5905378201057

LINKER TRI-PROOF 80W 4000K
150lm/W 220-240V IP65 150cm PRIME

product_card.label_realization_photo