

LED line LITE

product_card.label_product_code: 203938
product_card.label_product_gtin: 5905378203938

Panel Backlit 2in1 40W 4000K 4000LM
595x595 Black LITE



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Luminous efficacy	100 lm/W	Material (cover)	polystyrene
Colour of the light	White	Material (housing)	Metal
Energy efficiency class 2019/2015	E	Lifespan	30000
Luminous flux	4000 lm	Power Factor	0,9
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
IP protection rating	IP20	Ambient temperature suitable for operation	-20÷40 °C
Warranty (years)	2	For indoor use	Inside
Dimmable function	PWM	IEC protection class	I
Survival factor	0.9	IK protection rating	02
Lifetime L70B50	30 000	Full box quantity	1 pc
Frequency of the supply voltage	50/60Hz	Lamp's warm-up time to 60%	1
Colour rendering index Ra	80		
The lumen maintenance factor	96 %	Power	40 W
Beam angle	120 °	Voltage	220-240 V AC
		Correlated colour temperature	4000 K


LED line LITE

product_card.label_product_code203938product_card.label_product_gtin:5905378203938


Panel Backlit 2in1 40W 4000K 4000LM
595x595 Black LITE

product_card.label_dimensions




product_card.label_curve_light



product_card.label_product_gallery



product_card.label_logistic_data



product_card.label_single_package

Width	605 mm
Height	45 mm
Length	605 mm
Weight	1,37 kg

product_card.label_collective_package

Number of pieces/tape in meters pack zb	6 szt.
Width	625 mm
Height of collective packaging	625 mm
Length	300 mm
Weight	10,3 kg
Volume	0,117 m3

product_card.label_europalette

Quantity collective euro pallet	72 szt.
Weight of a euro pallet	102,24 kg
Pallet height	1900 mm
Quantity in 1 layer	24 szt.
Number of layers	3

LED line LITE

product_card.label_product_code: 203938 product_card.label_product_gtin: 5905378203938

Panel Backlit 2in1 40W 4000K 4000LM
595x595 Black LITE

product_card.label_realization_photo