

LED line PRIME


Code: 475961

EAN: 5907777475961

**Linear luminaire FUSION 4000K 60W
7800lm 90*110° IP20 150cm black PRIME**



FUSION LED line PRIME 60W and 7800 lm provides effective light in neutral white color (4000 K). High performance of 130 lm/W and the possibility to adjust the angle of light distribution (90°x110°) allow perfect adjustment to different spaces. Made of durable aluminum, it drains heat, which prolongs its lifespan to 50,000 hours.



Technical data

| Parameter | Value |
|-----------------------------------|----------------|
| Energy efficiency class 2019/2015 | C |
| Warranty | 5/7* |
| Power | • 60 W |
| Voltage | • 220-240 V AC |
| Correlated colour temperature | • 4000 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IP protection rating | IP20 |
| IK protection rating | 08 |
| IEC protection class | I |
| Luminous efficacy | 130 |
| Luminous flux | 7800 |
| The lumen maintenance factor | 96 |

| Parameter | Value |
|--|----------|
| Lifetime L70B50 | 50 000 h |
| L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible | 35000 h |
| Survival factor | 0.9 |
| Colour consistency in McAdam ellipses | ≤6 |
| Sling length | 200 cm |
| Standby power | 0 |
| Mounting type | mixed |
| Frequency of the supply voltage | 50/60Hz |
| Power Factor | 0,9 |
| Lamp's warm-up time to 60% | 1 |
| Ambient temperature suitable for operation | -20÷45 |
| For indoor use | Inside |
| Height | 52 |


LED line PRIME

Code: 475961


EAN: 5907777475961

**Linear luminaire FUSION 4000K 60W
7800lm 90*110° IP20 150cm black PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

| | |
|--------|---------|
| Width | 1444 mm |
| Height | 52 mm |
| Length | 70 mm |
| Weight | 1,97 kg |

Bulk packaging

| | |
|----------|----------|
| Quantity | 12 |
| Width | 1550 mm |
| Height | 260 mm |
| Length | 260 mm |
| Volume | 0,104 m3 |
| Weight | 23,89 kg |
| Comments | |

Europallet

| | |
|-------------------|----------|
| Quantity | 144 |
| Height | 1550 mm |
| Quantity in layer | 144 |
| Number of layers | 1 |
| Bulk quantity | 144 |
| Weight | 286,8 kg |

LED line PRIME

Code: 475961

EAN: 5907777475961

**Linear luminaire FUSION 4000K 60W
7800lm 90*110° IP20 150cm black PRIME**

Example application