

LED line PRIME

Code: 248627-II

EAN: 5905378201675

**LED bulb E14 4000K 9W 1260lm 230V
220° C37 Ceramic PRIME**



LED bulb E14 9W 4000K 1260lm from LED line PRIME is an advanced light source, made with SMD2835 technology, characterized by high light performance of 140 lm/W. It has a neutral colour of light at 4000 K, providing natural color reproduction ($Ra \geq 80$). The durability of the device reaches 30,000 hours, and the lighting angle of 220° guarantees a uniform scattering of light.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 9 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1260 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 248627-II


EAN: 5905378201675

**LED bulb E14 4000K 9W 1260lm 230V
220° C37 Ceramic PRIME**

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	68 mm
Height	142 mm
Length	68 mm
Weight	0,064 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg
Comments	

Europallet

Quantity	3600
Height	1,70 m
Quantity in layer	
Number of layers	
Bulk quantity	36
Weight	277 kg

LED line PRIME

Code: 248627-II

EAN: 5905378201675

**LED bulb E14 4000K 9W 1260lm 230V
220° C37 Ceramic PRIME**

Example application