

LED line LITE

Code: 246784

EAN: 5901583246784

DOWNLIGHT EASY FIX 4000K 6W 470lm square IP20 FI11.5cm White LITE



LED Easy Fix 6W 4000K 470lm square LED line LITE is a modern lighting solution, characterized by a light stream of 470 lm and a neutral light color. Thanks to high performance of 78 lm/W and a durability of 30,000 hours, the product provides long-term use. The high quality of materials, including polystyrene and polyamide, guarantees robust design.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 6 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	78
Luminous flux	470
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	120
LGP	GLASS
LED type	SMD2835
LED quantity	28
Power Factor	0.5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Mounting hole diameter	55-90
Height	14
Colour	white
Material (housing)	Polyamide
Material (cover)	Polystyrene


LED line LITE

Code: 246784


EAN: 5901583246784

DOWNLIGHT EASY FIX 4000K 6W 470lm square IP20 FI11.5cm White LITE

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	115 mm
Height	14 mm
Length	115 mm
Weight	0,19 kg

Bulk packaging

Quantity	60
Width	390 mm
Height	280 mm
Length	430 mm
Volume	0,046 m3
Weight	18,3 kg
Comments	

Europallet

Quantity	1440
Height	1950 mm
Quantity in layer	240
Number of layers	5
Bulk quantity	1200
Weight	322 kg

LED line LITE

Code: 246784

EAN: 5901583246784

**DOWNLIGHT EASY FIX 4000K 6W 470lm
square IP20 FI11.5cm White LITE**

Example application