

LED line PRIME Code: 200180-LAW3HAT EAN: 5905378218376

Panel Backlit 40W 4000K 4800lm 60x60 Emergency module Emergency module PRIME LAW3HAT



The Backlit 40W LED panel with a colour temperature of 4000K provides an impressive light stream of 4800 lm, making it an effective light source. Its modern design with dimensions of 60x60 cm makes it perfectly fits into a variety of interiors. The built-in emergency module allows continuous operation for 3 hours in case of power outage. IP20 protection class and a small weight of only 1.65 kg ensure flexibility of installation and ease of use.





Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Autotest
Voltage	• 220-240 V AC
Luminous efficacy	120
Colour of the light	White
Energy efficiency class 2019/2015	E
Luminous flux	4800
Colour consistency in McAdam ellipses	≤6
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Lifetime L70B50	75 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white
The lumen maintenance factor	96

Parameter	Value
Beam angle	120
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	48
Power Factor	0,9
Number of on/off cycles	25000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
IEC protection class	II
IK protection rating	02
Lamp's warm-up time to 60%	ls
Energy class	A+
Correlated colour temperature	• 4000 K
Power	• 40 W



LED line PRIME Code: 200180-LAW3HAT EAN: 5905378218376

Panel Backlit 40W 4000K 4800lm 60x60 Emergency module Emergency module PRIME LAW3HAT

Technical drawing

Light distribution

Additional product photos












Logistics data







Single packaging

Bulk packaging

Europallet



LED line PRIME Code: 200180-LAW3HAT EAN: 5905378218376

Panel Backlit 40W 4000K 4800lm 60x60 Emergency module Emergency module PRIME LAW3HAT

Example application

