

LED line LITE

Code: 203891-II

EAN: 5905378218246

**Hermetic luminaire VANTA 2xT8 LED
IP65 120cm gray ABS/PS LITE**

The VANTA 2x120cm LED airtight housing, made of polystyrene and ABS, is characterized by high durability and resistance to damage. Powered by 220-240 V AC voltage, it offers a maximum lamp power of 36 W. Its dimensions are 1270 mm long, 110 mm wide and 60 mm high. Using the G13 socket allows easy exchange of light sources.



Technical data

Parameter	Value
Warranty	3
Voltage	• 220-240 V AC
IP protection rating	IP65
IK protection rating	06
IEC protection class	II
Socket type	G13
Maximum suitable lamp power	36 W
Mounting type	surface

Parameter	Value
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	-10÷40
Installation method	surface
Height	63 mm
Lamp's diameter	26 mm
Material (housing)	ABS
Material (cover)	Polystyrene


LED line LITE

Code: 203891-II

EAN: 5905378218246

**Hermetic luminaire VANTA 2xT8 LED
IP65 120cm gray ABS/PS LITE**

Technical drawing



Light distribution

Additional product photos



Logistics data



Single packaging

Width	1270 mm
Height	60 mm
Length	110 mm
Weight	0,88 kg



Bulk packaging

Quantity	12
Width	230 mm
Height	295 mm
Length	1305 mm
Volume	0,097 m ³
Weight	10,5 kg



Europallet

Quantity	144
Height	1,8 m
Quantity in layer	36
Number of layers	4
Bulk quantity	12
Weight	160 kg

LED line LITE

Code: 203891-II

EAN: 5905378218246

**Hermetic luminaire VANTA 2xT8 LED
IP65 120cm gray ABS/PS LITE**

Example application