MORE EFFICIENCY FOR THE LED WORLD

LE**D** line

LED line PRIME

SUNSTREET 100W 6500K 750lm IP54 PRIME



Code: 211315

EAN: 5905378211315

New

SUNSTREET 100W 6500K is an innovative LED lamp with a power of 100 W, generating a light stream of 750 lm. It is characterized by white light at 6500 K, which provides bright and natural lighting. Thanks to IP54 leak class, the product displays high resistance to dust and moisture, ideal for external applications. The polycarbonate housing guarantees durability and the L70B50 life of 35,000 hours proves the long life of the lamp.



 IP

 5

 54



Technical data

Parameter	Value
Colour of the light	White
Luminous flux	750
Warranty (years)	5
IP protection rating	IP54
Lifetime L70B50	35 000 h
Mounting type	Lighting pole ø 60mm
Type of battery	LiFe Po4 3560mah
Colour rendering index Ra	70
Beam angle	90

Parameter	Value
Sensor type	PIR
Material (cover)	polycarbonate
Material (housing)	Polycarbonate
LED type	SMD LED 5050
LED quantity	56
Ambient temperature suitable for operation	-40~50
Installation method	Lighting pole/wall
Correlated colour temperature	• 6500 K
Power	• 100 W

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 211315

Light distribution

EAN: 5905378211315


SUNSTREET 100W 6500K 750lm IP54 PRIME

Technical drawing


Additional product photos



Logistics data



Bulk packaging



Europallet

Single packaging

Generated 01-06-2025 time 22:06 from the PIM B2B system - LED Line

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 211315

EAN: 5905378211315

SUNSTREET 100W 6500K 750lm IP54 PRIME

Example application