

LED line LITE

Code: 240683

EAN: 5901583240683

**LEDOM Downlight alu. square white
brushed adjustable**



Technical data

Parameter	Value
Maximum suitable lamp power	35
IP protection rating	IP20
Warranty (years)	2
Colour	White
Lamp's diameter	50
Material (housing)	aluminum
Type of surface suitable for installation	F

Parameter	Value
Distance from illuminated surface	0.5
Installation method	recessed
Mounting hole diameter	75-80 mm
For indoor and outdoor use	YES
IEC protection class	III
Height	18 mm

LED line LITE

Code: 240683


EAN: 5901583240683

LEDOM Downlight alu. square white
brushed adjustable


Dimensions

Light distribution

Additional product photos




Logistics data




Single packaging

Width	90 mm
Height	90 mm mm
Length	40 mm mm
Weight	0,05 kg kg
	1



Bulk packaging

Number of pieces/tape in meters pack zb	100 szt.
Width	520 mm mm
Height of collective packaging	220 mm
Length	440 mm mm
Weight	8 kg kg
Volume	0,050 m3 m3



Europallet

Number of pieces/tapes in meters euro pallet	1400
Quantity collective euro pallet	1600 szt.
Weight of a euro pallet	128 kg kg
Pallet height	1760 mm
Quantity in 1 layer	200 szt.
Number of layers	8

LED line LITE

Code: 240683

EAN: 5901583240683

**LEDOM Downlight alu. square white
brushed adjustable**

Example application