

LED line LITE

Code: 470676

EAN: 5907777470676

**LED bulb E27 2700-6500K RGCCT 10W
800lm 230V 220° A60 DIM TUYA LITE**



LED bulb E27 10W RGB WW CW TUYA 230V A60 from the LED line LITE brand is an advanced light source that stands out as a function of colour adjustment in the range from warm (2700 K) to cool white (6500 K) and the possibility to display a full range of RGB colours. It offers a light stream of 800 lm with Ra color reproduction factor of 80, which guarantees natural color rendering.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	2
Power	• 10 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K • 6500 K
Colour of the light	RGB (multicolor)
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	80
Luminous flux	800 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9
Dimmable function	Tuya

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	A60
Beam angle	220 °
LED type	SMD
LED quantity	28
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Height	120
Colour	White
Material (housing)	Polycarbonate

LED line LITE

Code: 470676

EAN: 5907777470676

**LED bulb E27 2700-6500K RGB CCT 10W
800lm 230V 220° A60 DIM TUYA LITE**




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	22 mm
Height	22 mm
Length	70,5 mm
Weight	0,142 kg

Bulk packaging

Quantity	100
Width	580 mm
Height	255 mm
Length	175 mm
Volume	0,025 m3
Weight	6,5 kg
Comments	

Europallet

Quantity	1536
Height	1785 mm
Quantity in layer	800
Number of layers	7
Bulk quantity	5600
Weight	814,8 kg

LED line LITE

Code: 470676

EAN: 5907777470676

**LED bulb E27 2700-6500K RGB CCT 10W
800lm 230V 220° A60 DIM TUYA LITE**

Example application