

LED line PRIME

Code: ES4-CI-CI-CI-CI


EAN: 5905378227910

**Stadium fixture ESTADIO 5000K
4x300W 204000lm IP66 20° PRIME
CRI80**



Stadium fixtures **ESTADIO** are technologically advanced LED light sources designed for professional outdoor applications. They are ideal for illuminating stadiums, sports fields, maneuvering areas, ports, terminals, and other vast spaces requiring reliable and efficient lighting.

Product made to order. Lead time ~12 weeks.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	B
Warranty	5
Power	• 1200 W
Voltage	• 100-277 V AC
Correlated colour temperature	• 5000 K
Colour of the light	White
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	170
Luminous flux	204000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Wire length	1 000 mm
Frequency of the supply voltage	50/60Hz
CRI colour rendering index	80
Beam angle	20
LED type	EMC5050
LED quantity	100
Power Factor	0,95
Lamp's warm-up time to 60%	0,5
Ambient temperature suitable for operation	-40 / +45
For indoor use	Outside
Height	165 mm
Material (housing)	Aluminium
Material (cover)	Polycarbonate


LED line PRIME

Code: ES4-CI-CI-CI-CI

EAN: 5905378227910

**Stadium fixture ESTADIO 5000K
4x300W 204000lm IP66 20° PRIME
CRI80**

Technical drawing



Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	
Height	
Length	
Weight	



Bulk packaging

Quantity	
Width	
Height	
Length	
Weight	28 kg



Europallet

Quantity	
Height	
Bulk quantity	
Weight	

LED line PRIME

Code: ES4-CI-CI-CI-CI

EAN: 5905378227910

**Stadium fixture ESTADIO 5000K
4x300W 204000lm IP66 20° PRIME
CRI80**

Example application