

LED line LITE

Code: 202252

EAN: 5905378202252

**LED Bulb E27 4000K 4W 480lm 230V
360° FILAMENT A60 Glass LITE**



LED bulb E27 4W 4000K 480lm FILAMENT A60 LED line LITE is an advanced light source that combines modern technology with aesthetic appearance. It is characterized by high light performance of 120 lm/W and neutral light colour, providing optimal lighting conditions. It has a durability of up to 25,000 hours and resistance to frequent incorporation with endurance up to 50,000 cycles.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 4 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	480 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	-
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	A60
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	108
Fixture's diameter	60 mm
Material	Glass
Material (housing)	Glass
Material (cover)	glass

LED line LITE

Code: 202252

EAN: 5905378202252

**LED Bulb E27 4000K 4W 480lm 230V
360° FILAMENT A60 Glass LITE**




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	59 mm
Length	50 mm
Weight	0,03 kg

Bulk packaging

Quantity	50
Width	325 mm
Height	240 mm
Length	325 mm
Volume	0,025 m ³
Weight	2,77 kg

Europallet

Height	1920 mm
Quantity in layer	300
Number of layers	8
Bulk quantity	2400
Weight	132,96 kg

LED line LITE

Code: 202252

EAN: 5905378202252

**LED Bulb E27 4000K 4W 480lm 230V
360° FILAMENT A60 Glass LITE**

Example application

