

LED line PRIME

Code: 248108-II

EAN: 5905378201576

**LED bulb GU11 2700K 3W 330lm 230V
38° GU10 Ceramic PRIME**



The LED bulb GU11 3W 2700K from the PRIME LED line is distinguished by advanced SMD2835 technology, providing a light stream of 330 lumens with a minimum energy consumption of 3 W. The colour of light at 2700 K emits warm white, which creates a pleasant atmosphere. The 38° light angle is ideal for point applications. The life of 30,000 hours and the resistance to flickering guarantee comfort of use.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	• 3 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	110
Luminous flux	330 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	GU11
Beam angle	38°
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	50
Fixture's diameter	35 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics

LED line PRIME


Code: 248108-II

EAN: 5905378201576


**LED bulb GU11 2700K 3W 330lm 230V
38° GU10 Ceramic PRIME**

Technical drawing

Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	57 mm
Length	50 mm
Weight	0,03 kg

Bulk packaging

Quantity	100
Width	205 mm
Height	135 mm
Length	420 mm
Volume	0,011 m ³
Weight	3,5 kg

Europallet

Height	1950 mm
Quantity in layer	600
Number of layers	14
Bulk quantity	8400
Weight	420 kg

LED line PRIME

Code: 248108-II

EAN: 5905378201576

**LED bulb GU11 2700K 3W 330lm 230V
38° GU10 Ceramic PRIME**

Example application

