

LED line LITE

product_card.label_product_code: 201439
product_card.label_product_gtin: 5905378201439

LED line LITE Ceiling lamp PLAFON 24W
4000K 1950lm IP44



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value
Luminous efficacy	81 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	F
Luminous flux	1950 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP44
Warranty (years)	3
Survival factor	0.9
Lifetime L70B50	30 000
Weight	410 g
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White

product_card.label_attribute_name	product_card.label_attribute_value
The lumen maintenance factor	96 %
Beam angle	120 °
LED type	SMD 2835
LED quantity	28
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40 °C
For indoor and outdoor use	YES
IEC protection class	I
Height	62 mm
Power	• 24 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K

LED line LITE


product_card.label_product_code: 201439
product_card.label_product_gtin: 5905378201439

LED line LITE Ceiling lamp PLAFON 24W
4000K 1950lm IP44


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




product_card.label_single_package

Width	420 mm
Height	420 mm mm
Length	70 mm mm
Weight	0,56 kg kg
	1



product_card.label_collective_package

Number of pieces/tape in meters	12 szt.
Width	860 mm mm
Height of collective packaging	440 mm
Length	470 mm mm
Weight	7,07 kg kg
Volume	0,177 m3 m3



product_card.label_europalette

Quantity collective euro pallet	48 szt.
Weight of a euro pallet	28,28 kg
Pallet height	1760 mm
Quantity in 1 layer	12 szt.
Number of layers	4

LED line LITE

product_card.label.product_codeproduct_card.label.product_gtin:
2014395905378201439

LED line LITE Ceiling lamp PLAFON 24W
4000K 1950lm IP44

product_card.label.realization_photo



MicrosoftTeams-image-(3).png