

LED line LITE

Code: 201064

EAN: 5905378201064

LED line LITE Road luminaire
STREETLITE 50W 4000K 5000lm grey



STREETLITE 50W road luminaire from LITE LED line is an innovative lighting solution, made of high quality aluminium casting, which ensures excellent heat drainage and longevity of LEDs. The polycarbonate cartridge guarantees IP65 tightness, protecting against dust and moisture, and the IK08 resistance class protects against mechanical damage.



Technical data

Parameter	Value
ULOR	0 %
Voltage	• 220-240 V AC
Luminous efficacy	100
Colour of the light	White
Energy efficiency class 2019/2015	E
Luminous flux	5000
Colour consistency in McAdam ellipses	≤6
Warranty (years)	3
Survival factor	0.9
Lifetime L70B50	36 000 h
Mounting type	mixed
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
CRI colour rendering index	80

Parameter	Value
Colour	Grey
The lumen maintenance factor	96
Beam angle	130 x 75
Material (cover)	polycarbonate
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	54
Power Factor	0,9
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-40÷50
IEC protection class	I
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	• 4000 K
Power	• 50 W

LED line LITE

Code: 201064


EAN: 5905378201064

**LED line LITE Road luminaire
STREETLITE 50W 4000K 5000lm grey**


Technical drawing




Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line LITE

Code: 201064

EAN: 5905378201064

**LED line LITE Road luminaire
STREETLITE 50W 4000K 5000lm grey**

Example application

