

LED line PRIME

Code: 201279

EAN: 5905378201279

**Hermetic luminaire LINKER 5000K 40W
6000lm IP65 120cm gray PRIME**



LINKER 40W from LED line PRIME is characterized by high light performance of 6000 lm and a coefficient of 150 lm/W. It offers a neutral colour temperature of 5000 K, which provides excellent color reproduction ($R_a \geq 80$). Powered by 220-240V AC voltage, it has a hermetic design with IP65 leak class and IK08 impact resistance.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5/7*
Power	• 40 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 5000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	I
Luminous efficacy	150
Luminous flux	6000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
L80B* – difference B10–B50 \approx 1% (according to LightingEurope) – negligible	75000 h

Parameter	Value
L90B* – difference B10–B50 \approx 1% (according to LightingEurope) – negligible	50000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤ 6
Frequency of the supply voltage	50/60Hz
Beam angle	120
Lifespan	100 000 h
Power Factor	$\geq 0,95$
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	$-25 \div 45$
Height	61 mm
Colour	96
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate


LED line PRIME

Code: 201279


EAN: 5905378201279

**Hermetic luminaire LINKER 5000K 40W
6000lm IP65 120cm gray PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	75 mm
Height	65 mm
Length	1120 mm
Weight	1,29 kg

Bulk packaging

Quantity	15
Width	355 mm
Height	246 mm
Length	1238 mm
Volume	0,108 m ³
Weight	19,9 kg

Europallet

Quantity	180
Height	1500 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	263,8 kg

LED line PRIME

Code: 201279

EAN: 5905378201279

**Hermetic luminaire LINKER 5000K 40W
6000lm IP65 120cm gray PRIME**

Example application