

LED line LITE

Code: 248689

EAN: 5901583248689

**LED bulb GU10 4000K 5W 450lm 230V
120° PC LITE**



The LED line GU10 5W 4000K 450lm bulb from the LED line LITE brand is an innovative light source, offering a neutral light color with a temperature of 4000 K. With energy efficiency at the level of 90 lm/W and a high luminous flux of 450 lumens, the product provides optimal lighting in various spaces. The lifespan of this bulb reaches an impressive 50,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 5 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	90
Luminous flux	450 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
Lifespan	50 000 h
Power Factor	>=0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	57 mm
Material (housing)	Polycarbonate

LED line LITE


Code: 248689

EAN: 5901583248689

**LED bulb GU10 4000K 5W 450lm 230V
120° PC LITE**




Technical drawing

Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	1260 mm
Height	30 mm
Length	30 mm
Weight	0,027 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	145 mm
Length	530 mm
Volume	0,020 m3
Weight	3 kg
Comments	

Europallet

Quantity	7200
Height	1,90 m
Quantity in layer	600
Number of layers	12
Bulk quantity	72
Weight	215 kg

LED line LITE

Code: 248689

EAN: 5901583248689

**LED bulb GU10 4000K 5W 450lm 230V
120° PC LITE**

Example application