

LED line Elida 70W 4000K 120lm/W 100-277V AC T2



LED line housing Elida 70W is a modern lighting solution, characterized by high energy efficiency of 120 lm/W. With the temperature colour of light 4000K provides natural and pleasant space lighting. Made of aluminium casting, it guarantees excellent resistance to atmospheric conditions and mechanical damage, which confirms IP65 protection class.



Technical data

Parameter	Value
ULOR	0 %
Voltage	<ul style="list-style-type: none">100-277 V AC
Luminous efficacy	120
Colour of the light	White
Energy efficiency class 2019/2015	E
Luminous flux	8400
Colour consistency in McAdam ellipses	≤5
Warranty (years)	5
Survival factor	0.9
Lifetime L70B50	50 000 h
Mounting type	suspended
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
CRI colour rendering index	80
The lumen maintenance factor	96

Parameter	Value
Beam angle	80 x 155
Material (cover)	tempered glass
Material (housing)	Aluminium
LED type	SMD2835
LED quantity	96
Lifespan	50 000 h
Power Factor	0,95
Colour consistency in McAdam ellipses	≤5
Ambient temperature suitable for operation	-40÷50
IEC protection class	I
IK protection rating	08
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	<ul style="list-style-type: none">4000 K
Power	<ul style="list-style-type: none">70 W

LED line

Code: 200135

EAN: 5905378200135

LED line Elida 70W 4000K 120lm/W 100-277V AC T2

Technical drawing

Light distribution

Additional product photos

Logistics data



Single packaging



Bulk packaging



Europallet

LED line

Code: 200135

EAN: 5905378200135

LED line Elida 70W 4000K 120lm/W 100-277V AC T2

Example application