

LED line PRIME

Code: 210592

EAN: 5905378210592

**3 phase rail LUMICANTO 3m black PRIME**



LUMICANTO 3-phase rail cable with a length of 3 m in black is an excellent solution for modern lighting systems. Made of high quality aluminum, it ensures durability and aesthetics. The use of advanced technologies allows efficient energy management, and the maximum load is 16A with a working voltage of 200-240V AC.



**Technical data**

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	200-240V AC
Rated current	16A
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	5÷40
Height	35,5 mm
Colour	Black
Material (housing)	Aluminium

LED line PRIME

Code: 210592


EAN: 5905378210592

**3 phase rail LUMICANTO 3m black PRIME**




**Technical drawing**

**Light distribution**

**Additional product photos**



**Logistics data**



**Single packaging**

Width	3000 mm
Height	35,5 mm
Length	31,5 mm
Weight	2,7 kg

**Bulk packaging**

Quantity	10
Width	180 mm
Height	80 mm
Length	3030 mm
Volume	0,043 m <sup>3</sup>
Weight	37 kg

**Europallet**

Height
Quantity in layer
Number of layers
Bulk quantity
Weight

---

LED line PRIME

Code: 210592

EAN: 5905378210592

**3 phase rail LUMICANTO 3m black  
PRIME**

---

**Example application**