

LED line PRIME

3 phase rail LUMICANTO 3m black PRIME



Code: 210592

EAN: 5905378210592

LUMICANTO 3-phase rail cable with a length of 3 m in black is an excellent solution for modern lighting systems. Made of high quality aluminum, it ensures durability and aesthetics. The use of advanced technologies allows efficient energy management, and the maximum load is 16A with a working voltage of 200-240V AC.



Technical data

Parameter	Value
Warranty (years)	5
Rated power	200-240V AC
Rated current	16A
Housing material	Aluminium

Ξ	C
---	---

Γ

Parameter	Value
Frequency of the supply voltage	50/60Hz
Colour	Black
Ambient temperature suitable for operation	5÷40
IEC protection class	I

MORE EFFICIENCY FOR THE LED WORLD



LE line

LED line PRIME

Code: 210592

3 phase rail LUMICANTO 3m black PRIME


Technical drawing

Light distribution


Additional product photos



Logistics data



Bulk packaging



Europallet

Single packaging

Generated 01-06-2025 time 19:06 from the PIM B2B system - LED Line

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 210592

EAN: 5905378210592

3 phase rail LUMICANTO 3m black PRIME

Example application