

LED line LITE

Code: 201026

EAN: 5905378201026

**DOWNLIGHT MOLLY 4000K 24W 2550lm  
round IP20 White LITE motion sensor**



LED line LITE Downlight MOLLY 24W is a perfect combination of modernity and functionality. It emits a powerful light stream of 2550 lm in a neutral colour of 4000 K, guaranteeing high lighting quality with Ra >80 indicator, which provides natural color reproduction. The device has a microwave motion sensor with a range of up to 8 m and a dusk sensitivity of 15 lux.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	3
Power	• 24 W
Voltage	• 170-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	105
Luminous flux	2550
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	110
Sensor type	Microwave
LED type	SMD LED 2835
LED quantity	120
Power Factor	0,5
Number of on/off cycles	20000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Mounting hole diameter	190-210
Height	26
Fixture's diameter	220 mm
Colour	White
Material (housing)	Polycarbonate


LED line LITE

Code: 201026


EAN: 5905378201026

**DOWNLIGHT MOLLY 4000K 24W 2550lm  
round IP20 White LITE motion sensor**

**Technical drawing**




**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	226 mm
Height	34 mm
Length	226 mm
Weight	0,288 kg

**Bulk packaging**

Quantity	40
Width	390 mm
Height	472 mm
Length	472 mm
Volume	0,086 m3
Weight	12,5 kg

**Europallet**

Quantity	640
Height	1,9 m
Quantity in layer	160
Number of layers	4
Bulk quantity	16
Weight	230 kg

LED line LITE

Code: 201026

EAN: 5905378201026

**DOWNLIGHT MOLLY 4000K 24W 2550lm  
round IP20 White LITE motion sensor**

**Example application**

