

LED line PRIME

Code: 221246

EAN: 5905378221246

**T-connector for LUMICANTO  
POWERTRACK busway left white with  
power supply PRIME**

**New**

T-connector for LUMICANTO busway left in white or black color, with PRIME power supply, is an innovative solution with high-quality workmanship. It was designed with easy integration in lighting systems in mind. Thanks to the use of materials resistant to weather conditions and IP20 protection class, it ensures long-term functionality in various conditions. Its electrical parameters include operating voltage 220-240V DC and rated current 16A.



**Technical data**

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	32 mm
Power supply connection	yes
Material (housing)	Plastic

LED line PRIME

Code: 221246

EAN: 5905378221246




**T-connector for LUMICANTO  
POWERTRACK busway left white with  
power supply PRIME**

Technical drawing

Light distribution

Additional product photos

**Logistics data**



**Single packaging**

Width	160 mm
Height	30 mm
Length	100 mm
Weight	0,16 kg

**Bulk packaging**

Quantity	50
Width	250 mm
Height	200 mm
Length	300 mm
Weight	7,35 kg

**Europallet**

Quantity	4500
Height	1700 mm
Quantity in layer	18
Number of layers	5
Bulk quantity	90
Weight	695 kg

---

LED line PRIME

Code: 221246

EAN: 5905378221246

**T-connector for LUMICANTO  
POWERTRACK busway left white with  
power supply PRIME**

---

Example application