

LED line PRIME

Code: 202092

EAN: 5905378202092

LED line PRIME LED Tube T8 18W 6500K
2700lm 220-240V 120cm



product_card.label_technical_data

Parameter	Value
Luminous efficacy	150 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	D
Luminous flux	2700 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP20
Warranty (years)	5
Survival factor	0.9
Minimum purchase quantity	25
Lifetime L70B50	25 000
Material	Glass
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
The lumen maintenance factor	96 %
Lamp's type	T8

Parameter	Value
Beam angle	270 °
Material (cover)	glass
Material (housing)	Glass
LED type	SMD2835
LED quantity	92
Lifespan	25000
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
For indoor use	Inside
Full box quantity	25 pc
Lamp's warm-up time to 60%	1
Length	1200 mm
Power	18 W
Voltage	220-240 V AC
Correlated colour temperature	6500 K

LED line PRIME

Code: 202092



EAN: 5905378202092

LED line PRIME LED Tube T8 18W 6500K
2700lm 220-240V 120cm


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




Single packaging

Width	47 mm
Height	90 mm mm
Length	47 mm mm
Weight	0,18 kg kg
	1



Bulk packaging

Number of pieces/tape in meters pack zb	25 szt.
Width	1290 mm mm
Height of collective packaging	175 mm
Length	170 mm mm
Weight	7,09 kg kg
Volume	0,038 m3 m3



Europallet

Quantity collective euro pallet	600 szt.
Weight of a euro pallet	85,2 kg
Pallet height	1290 mm
Quantity in 1 layer	600 szt.
Number of layers	1

LED line PRIME

Code: 202092

EAN: 5905378202092

**LED line PRIME LED Tube T8 18W 6500K
2700lm 220-240V 120cm**

Example application