

LED line PRIME

Code: 202092

EAN: 5905378202092

**LED tube T8 G13 6500K 18W 2700lm  
230V 270° 120cm Glass PRIME (Without jumper)**



The LED T8 18W 6500K LED line PRIME lamp is a modern light source with high efficiency. It emits a luminous flux of 2700 lumens with a minimal energy consumption of 18 W. With a color temperature of 6500 K, it offers natural, white light. The lamp features a long lifespan of up to 25,000 hours and excellent stabilization, eliminating flicker (SVM: 0.4). The IP20 protection class allows it to be used in various indoor spaces.

**Tube WITHOUT A JUMPER.**



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	2700 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	92
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line PRIME

Code: 202092


EAN: 5905378202092

**LED tube T8 G13 6500K 18W 2700lm  
230V 270° 120cm Glass PRIME (Without jumper)**


**Technical drawing**






**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	47 mm
Height	90 mm
Length	47 mm
Weight	0,18 kg

**Bulk packaging**

Quantity	25
Width	175 mm
Height	170 mm
Length	1290 mm
Volume	0,038 m <sup>3</sup>
Weight	7,09 kg

**Europallet**

Quantity	900
Height	1,90 m
Quantity in layer	100
Number of layers	9
Bulk quantity	36
Weight	190 kg

---

LED line PRIME

Code: 202092

EAN: 5905378202092

**LED tube T8 G13 6500K 18W 2700lm  
230V 270° 120cm Glass PRIME (Without  
jumper)**

---

Example application