

LED line PRIME Code: 471260 EAN: 5907777471260

Backlit Panel DIORA 4000K 36W 5040Im IP20 60x60cm white PRIME 1-10V





LED panel DIORA 36W from the LED line PRIME is a modern lighting setting designed for cassette ceiling systems. It is characterized by a light output of 140 lm/W and a light stream of 5040 lm. Thanks to the UGR value<16 provides comfortable and efficient lighting in different spaces. IP20 leak class and possibility of dimming with 1-10V system increase versatility of applications.





















Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5/7*
Power	• 36 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	I
Luminous efficacy	140
Luminous flux	5040
The lumen maintenance factor	96
Lifetime L70B50	54 000 h
L80B* – difference B10–B50 \approx 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9
Dimmable function	1-10


Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	75
LED type	SMD2835
LED quantity	96
Compatible dimmer type	1-10V
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Height	19
Colour	White
Material (housing)	Metal
Material (cover)	Polycarbonate




LED line PRIME Code: 471260 EAN: 5907777471260

Backlit Panel DIORA 4000K 36W 5040Im IP20 60x60cm white PRIME 1-10V

Technical drawing



Light distribution



Additional product photos










Logistics data







Single packaging

Quantity	1
Width	596 mm
Height	19 mm
Length	596 mm
Weight	1,25 kg

Bulk packaging

Quantity	2
Width	625 mm
Height	125 mm
Length	645 mm
Volume	0,050 m3
Weight	2,8 kg
Comments	

Europallet

Quantity	40
Height	1935 mm
Quantity in layer	18
Number of layers	3
Bulk quantity	54
Weight	75,6 kg



LED line PRIME Code: 471260 EAN: 5907777471260

Backlit Panel DIORA 4000K 36W 5040Im IP20 60x60cm white PRIME 1-10V

Example application

