

LED line LITE

Code: 240065

EAN: 5901583240065

**LED strip 150/5m SMD 12V YELLOW  
2,4W IP20 8mm 5m PRIME**

LED line Tape 150 SMD 12V yellow 2.4W is an innovative light source with extraordinary efficiency. It is characterized by the type of SMD3528 diode and the maximum length of the metro, making it ideal for various applications. With a modulated power of 2.4 W per metre, it provides an excellent light stream. The durability of the product is up to 100,000 hours, and its non-silent design works with the MWM dimmer.



**Technical data**

Parameter	Value
Warranty	5
Power	• 2.4 W / m
Voltage	• 12 V DC
Colour of the light	Yellow
IP protection rating	IP20
IEC protection class	III
Cutting section	10 cm
The lumen maintenance factor	>0,7
Lifetime L70B50	50 000 h
Dimmable function	PWM
Current (Im)	0,2
Beam angle	120

Parameter	Value
LED type	SMD3528
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	30
Type of adhesive tape	3M 300 LSE
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	2,5

LED line LITE


Code: 240065

EAN: 5901583240065

**LED strip 150/5m SMD 12V YELLOW  
2,4W IP20 8mm 5m PRIME**




**Technical drawing**

**Light distribution**



**Additional product photos**

**Logistics data**



**Single packaging**

Quantity	5 m
Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,087 kg

**Bulk packaging**

Quantity	40
Width	320 mm
Height	180 mm
Length	360 mm
Volume	0,020 m <sup>3</sup>
Weight	3,58 kg
Comments	

**Europallet**

Quantity	12000 m
Height	1800 mm
Quantity in layer	240
Number of layers	10
Bulk quantity	2400
Weight	349 kg

---

LED line LITE

Code: 240065

EAN: 5901583240065

**LED strip 150/5m SMD 12V YELLOW  
2,4W IP20 8mm 5m PRIME**

---

**Example application**