LED line PRIME   Code: 249181-LAW3HAT   EAN: 5905378218406

Panel 40W 4000K 3200lm square Emergency module PRIME LAW3HAT

A→G **F**

LED panel PRIME LAW3HAT with 40W and 4000K light colour emits a light stream of 3200 lm, providing light efficiency of 80 lm/W. The built-in emergency module guarantees operation for 3 hours in case of power interruption. The product made of aluminium and polycarbonate is characterized by class II insulation and IP20 protection. Its installation is allowed, and the dimensions are 591x591x12 mm.

CE

Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Auto Test
Voltage	• 175-250 V AC
Luminous efficacy	80
Colour of the light	White
Energy efficiency class 2019/2015	F
Luminous flux	3200
Colour consistency in McAdam ellipses	≤6
Warranty (years)	5
IP protection rating	IP20
Survival factor	0.9
Lifetime L70B50	30 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white
The lumen maintenance factor	96

Parameter	Value
Beam angle	120
Material (cover)	polycarbonate
Material (housing)	Aluminium
LED type	SMD2835
LED quantity	300
Power Factor	0,9
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-5÷45
Installation method	recessed
For indoor use	Inside
IEC protection class	II
Lamp's warm-up time to 60%	1 s
Energy class	A++
Correlated colour temperature	• 4000 K
Power	• 40 W

LED line PRIME   Code: 249181-LAW3HAT   EAN: 5905378218406

Panel 40W 4000K 3200lm square
Emergency module PRIME LAW3HAT

Technical drawing

Light distribution

Luminous [cd/klm]

C0 - C180   C90 - C270

Additional product photos

Logistics data

Single packaging   Bulk packaging   Europallet

Panel 40W 4000K 3200lm square
Emergency module PRIME LAW3HAT

Example application