

LED line PRIME

Code: 201613

EAN: 5905378201613

**LED bulb E14 4000K 5W 700lm 230V
220° C37 Ceramic PRIME**



LED bulb E14 5W 4000K 700lm by LED line PRIME is a perfect combination of efficiency and modern lighting technology. It emits a pleasant white light with a temperature of 4000 K, ideal for creating a neutral atmosphere in the rooms. Thanks to a light stream of 700 lumens and a light angle of 220°, it provides even interior lighting.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 5 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	700 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111
Fixture's diameter	37 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 201613


EAN: 5905378201613

**LED bulb E14 4000K 5W 700lm 230V
220° C37 Ceramic PRIME**

Technical drawing





Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	105 mm
Length	50 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg

Europallet

Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

LED line PRIME

Code: 201613

EAN: 5905378201613

**LED bulb E14 4000K 5W 700lm 230V
220° C37 Ceramic PRIME**

Example application