

LED line PRIME

Code: 248580

EAN: 5901583248580

LED line GU10 10W 2700K 1000lm 170-250V



product_card.label_technical_data

Parameter	Value	Parameter	Value
Luminous efficacy	100 lm/W	LED type	SMD2835
Colour of the light	White	Lifespan	30000
Energy efficiency class 2019/2015	F	Power Factor	0,5
Luminous flux	1000 lm	Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
Warranty (years)	3	Ambient temperature suitable for operation	-20÷40 °C
Survival factor	0.9	For indoor use	Inside
Lifetime L70B50	30 000	Full box quantity	100 pc
Frequency of the supply voltage	50/60Hz	Lamp's warm-up time to 60%	1
Colour rendering index Ra	80	Height	56 mm
Colour	white	Energy class	A+
The lumen maintenance factor	96 %	Power	• 10 W
Lamp's diameter	50	Voltage	• 170-250 V AC
Beam angle	120 °	Correlated colour temperature	• 2700 K
Material (housing)	Ceramic		

LED line PRIME


Code: 248580

EAN: 5901583248580


LED line GU10 10W 2700K 1000lm 170-250V

product_card.label_dimensions




product_card.label_curve_light



product_card.label_product_gallery



product_card.label_logistic_data



Single packaging

Width	50
Height	63 mm
Length	50 mm
Weight	0,65 kg
	10

Bulk packaging

Number of pieces/tape in meters pack zb	100
Width	285 mm
Height of collective packaging	170
Length	570 mm
Weight	7,5 kg
Volume	0,024955 m3

Europallet

Number of pieces/tapes in meters euro pallet	4000
Quantity collective euro pallet	40
Weight of a euro pallet	280 kg
Pallet height	1694
Quantity in 1 layer	4
Number of layers	10

LED line PRIME

Code: 248580

EAN: 5901583248580

LED line GU10 10W 2700K 1000lm 170-250V

Example application