

LED line LITE

Code: 247347

EAN: 5901583247347

**LED bulb E14 4000K 6W 522lm 230V
180° C37 PC LITE**



LED bulb E14 6W 4000K from LED line LITE is an innovative 6W light source. Its luminous flux is 522 lumens, achieving performance of 87 lm/W. It is characterized by a colour temperature of 4000 K and a light angle of 180°, providing even lighting. The durability of the product is estimated at 50,000 hours, which guarantees long-term use without flickering and with a low UGR rate.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 6 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	87
Luminous flux	522 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	180°
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	105
Fixture's diameter	37 mm
Material (housing)	Polycarbonate


LED line LITE

Code: 247347

EAN: 5901583247347

**LED bulb E14 4000K 6W 522lm 230V
180° C37 PC LITE**

Technical drawing





Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	40 mm
Height	110 mm
Length	40 mm
Weight	0,03 kg

Bulk packaging

Quantity	100
Width	240 mm
Height	220 mm
Length	425 mm
Volume	0,022 m3
Weight	3,35 kg
Comments	

Europallet

Quantity	7200
Height	1920 mm
Quantity in layer	600
Number of layers	8
Bulk quantity	4800
Weight	160,8 kg

LED line LITE

Code: 247347

EAN: 5901583247347

**LED bulb E14 4000K 6W 522lm 230V
180° C37 PC LITE**

Example application