

LED line PRIME


Code: LL-300-24-ALU

EAN: 5905378227675

Power supply 300-24 IP67 300W 24V
Aluminum PRIME



Constant voltage power supplies LED line from the PRIME series with a power of 300W and 400W (24V) are powerful devices designed for professional, extensive lighting projects. They guarantee the highest energy efficiency and reduce heat losses, which translates into stable and exceptionally economical operation of your installation. The durable aluminum housing with an IP67 protection class ensures complete protection against water and dust, while two current outputs guarantee quick and convenient installation of the system.



Technical data

Parameter	Value
Warranty	5
Voltage	• 220-240 V AC
IP protection rating	IP67
IEC protection class	I
Output current range	0-13 A
Output current	12,5 A

Parameter	Value
Rated current	1,37 A
Frequency of the supply voltage	50/60Hz
Power Factor	>=0,95
Ambient temperature suitable for operation	-20÷45
Height	34 mm
Output voltage	• 24 V

LED line PRIME


Code: LL-300-24-ALU

EAN: 5905378227675

Power supply 300-24 IP67 300W 24V

Aluminum PRIME

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	95 mm
Height	37 mm
Length	325 mm
Weight	1,46 kg



Bulk packaging

Quantity	15
Width	340 mm
Height	135 mm
Length	480 mm
Weight	21 kg



Europallet

Quantity	675
Height	1,5 m
Bulk quantity	45
Weight	980 kg

LED line PRIME

Code: LL-300-24-ALU

EAN: 5905378227675

Power supply 300-24 IP67 300W 24V
Aluminum PRIME

Example application