

LED line PRIME Code: 211322 EAN: 5905378211322

SUNSTREET 150W 6500K 1300lm IP54 PRIME



New

SUNSTREET 150W is a modern LED light source with a power of 150 W and a light stream of 1300 lm. It is characterized by a light colour of 6500 K, which provides cold, white lighting. The product was designed for high resistance to atmospheric conditions, reaching IP54 leak class. Supports the PWM function for effective brightness control.













Technical data

Parameter	Value
Colour of the light	White
Luminous flux	1300
Warranty (years)	5
IP protection rating	IP54
Dimmable function	PWM
Type of battery	LiFePo4 7430 mAh
Colour rendering index Ra	70
Colour	Grey
Beam angle	90

Parameter	Value
Material (cover)	polycarbonate
LED type	SMD LED 5050
LED quantity	84
Ambient temperature suitable for operation	-40~50° C
Installation method	Lighting pole/wall
IEC protection class	III
Thickness	47
Correlated colour temperature	• 6500 K
Power	• 150 W



LED line PRIME Code: 211322 EAN: 5905378211322

SUNSTREET 150W 6500K 1300lm IP54 PRIME

Technical drawing

Light distribution

Additional product photos












Logistics data







Single packaging

Bulk packaging

Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 211322 EAN: 5905378211322

SUNSTREET 150W 6500K 1300lm IP54 PRIME

Example application