

LED line PRIME

Code: 248610

EAN: 5901583248610

**LED bulb E14 2700K 9W 992lm 230V
220° C37 Ceramic LITE**



LED line bulb PRIME E14, with a power of 9 W and a warm light color of 2700 K, emits a light stream of 992 lm. With a high light efficiency of 110 lm/W and a life of up to 30,000 hours, it is an excellent choice for cost-effective users. It is characterized by a colour rendering coefficient Ra equal to 80 and a light angle of as much as 220°.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 9 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	110
Luminous flux	992 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111
Fixture's diameter	37 mm
Colour	white
Material (housing)	Ceramics
Material (cover)	glass

LED line PRIME


Code: 248610

EAN: 5901583248610

**LED bulb E14 2700K 9W 992lm 230V
220° C37 Ceramic LITE**




Technical drawing

Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	20 mm
Height	20 mm
Length	76 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg
Comments	

Europallet

Quantity	3000
Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

LED line PRIME

Code: 248610

EAN: 5901583248610

**LED bulb E14 2700K 9W 992lm 230V
220° C37 Ceramic LITE**

Example application