

LED line Code: 248849 EAN: 5901583248849

LED line Panel Easy Fix 24W 4000K 2300lm round





LED panel Easy Fix 24W 4000K 2300Im from LED line is an advanced lighting solution that emits neutral light, perfectly reflective colors thanks to the Ra indicator at level 80. Its high light performance of 96 lm/W at a 2300 lumen luminous flux provides optimal brightness. The product is characterized by a minimalist design and durable housing with polyamide and polystyrene tin.



















Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Energy class	A++
Warranty	3
Power	• 24 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	96
Luminous flux	2300
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Fixture's diameter	290 mm
Beam angle	120
LGP	PMMA
LED type	SMD2835
LED quantity	112
Power Factor	0,7
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Mounting hole diameter	60-260
Colour	white
Material (housing)	Polyamide
Material (cover)	Polystyrene




LED line Code: 248849 EAN: 5901583248849

LED line Panel Easy Fix 24W 4000K 2300lm round

Technical drawing

Light distribution

Luminous [cd/klm]





Additional product photos






Logistics data







Single packaging

Bulk packaging

Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line Code: 248849 EAN: 5901583248849

LED line Panel Easy Fix 24W 4000K 2300lm round

Example application