

LED line PRIME

Code: 201200

EAN: 5905378201200

RF wall remote for VARIANTE DIM/CCT PRIME controller



The RF LED line PRIME wall remote control for the VARIANTE DIM/CCT controller combines modern aesthetics with advanced functionality. Its wireless communication works at 2.4 GHz frequency, providing a range of up to 20 m. It enables intuitive control of LED lighting while offering the possibility to group up to four zones, allowing individual adjustment of lighting conditions. The product has a robust performance and a long warranty period of 5 years.



Technical data

Parameter	Value
Warranty	5
Voltage	• 90-265 V AC
IP protection rating	IP20
Working power	<2

Parameter	Value
RF frequency	2.4 GHz
RF distance	≤20
Ambient temperature suitable for operation	-20÷60
Height	86


LED line PRIME

Code: 201200

EAN: 5905378201200

**RF wall remote for VARIANTE DIM/CCT
PRIME controller**

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	34 mm
Height	86 mm
Length	86 mm
Weight	0,14 kg

Bulk packaging

Quantity	50
Width	230 mm
Height	190 mm
Length	480 mm
Volume	0,020 m3
Weight	7,35 kg
Comments	

Europallet

Height	1840 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	470,4 kg

LED line PRIME

Code: 201200

EAN: 5905378201200

**RF wall remote for VARIANTE DIM/CCT
PRIME controller**

Example application