

LED line LITE

Code: 470737

EAN: 5907777470737

**LED bulb SMD 4000K 5W 400lm 230V  
110° INSERT fi50mm DIM Ceramic LITE**



The modern LED light bulb SMD 5W 4000K from LED line LITE is an impressive light source that emits a 400 lumen light stream with a low energy consumption of only 5 W. It is characterized by a neutral colour of light (4000 K) and a wide light angle of 110°, which allows perfect space lighting. The life of the lamp is as much as 30,000 hours, and the light stream retention rate is 96%.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IEC protection class	II
Luminous efficacy	80
Luminous flux	400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	Triac

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	110°
LED type	SMD2835
Compatible dimmer type	TRIAC
Power Factor	0,4
Number of on/off cycles	50000
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Height	22
Fixture's diameter	50 mm
Colour	White
Material (housing)	Ceramics
Material (cover)	glass


LED line LITE

Code: 470737


EAN: 5907777470737

**LED bulb SMD 4000K 5W 400lm 230V  
110° INSERT fi50mm DIM Ceramic LITE**

**Technical drawing**






**Light distribution**



**Additional product photos**

**Logistics data**



**Single packaging**

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,08 kg

**Bulk packaging**

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	7 kg
Comments	

**Europallet**

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	308 kg

---

LED line LITE

Code: 470737

EAN: 5907777470737

**LED bulb SMD 4000K 5W 400lm 230V  
110° INSERT fi50mm DIM Ceramic LITE**

---

**Example application**