

LED line PRIME

Code: 203709

EAN: 5905378203709

Hermetic luminaire LINKER 4000K 30W
4500lm IP65 120cm gray PRIME



LINKER 30W 4000K from PRIME LED line is an advanced lighting solution, characterized by high light efficiency of 150 lm/W and 4500 lumen light stream. Thanks to IP65 tightness class, the housing is dust and water resistant, allowing it to be used in difficult conditions. Made of durable polycarbonate and meeting IK08 standards, it is a solid choice for demanding environments.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5/7*
Power	• 30 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	I
Luminous efficacy	150
Luminous flux	4500
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	75000 h

Parameter	Value
L90B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	50000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD2835
Lifespan	100 000 h
Power Factor	0,95
Number of on/off cycles	120000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	`-25 ÷ 45
Height	61 mm
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate

LED line PRIME


Code: 203709

EAN: 5905378203709


Hermetic luminaire LINKER 4000K 30W

4500lm IP65 120cm gray PRIME

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	75 mm
Height	65 mm
Length	1120 mm
Weight	1,29 kg



Bulk packaging

Quantity	15
Width	288 mm
Height	246 mm
Length	1538 mm
Volume	0,108 m3
Weight	19,8 kg



Europallet

Quantity	180
Height	1500 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	262,6 kg

LED line PRIME

Code: 203709

EAN: 5905378203709

**Hermetic luminaire LINKER 4000K 30W
4500lm IP65 120cm gray PRIME**

Example application

