

LED line LITE


Code: 201385

EAN: 5905378201385

**Ceiling Light 4000K 12W 960lm round IP44 white LITE motion sensor**



12W LED Line LITE is a modern lighting solution, characterized by a neutral colour temperature of 4000K and a light stream of 960 lm. IP44 leak class guarantees resistance to moisture and dust, which allows both indoor and outdoor applications. This model is equipped with a motion sensor with a detection range of 360° to 6 metres, providing automatic switching on and off the light.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP44
IEC protection class	I
Luminous efficacy	80
Luminous flux	960
The lumen maintenance factor	96
Lifetime L70B50	30 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Hold time	30 s
Frequency of the supply voltage	50/60Hz
Beam angle	120
Motion detection range and angle	360° 6m
LED type	SMD 2835
LED quantity	14
Power Factor	>0,7
Ambient temperature suitable for operation	-20÷40
Height	61
Fixture's diameter	260 mm
Colour	White


LED line LITE

Code: 201385


EAN: 5905378201385

**Ceiling Light 4000K 12W 960lm round  
IP44 white LITE motion sensor**

**Technical drawing**






**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	300 mm
Height	300 mm
Length	70 mm
Weight	0,26 kg

**Bulk packaging**

Quantity	16
Width	620 mm
Height	320 mm
Length	620 mm
Volume	0,123 m3
Weight	4,51 kg
Comments	

**Europallet**

Height	1920 mm
Quantity in layer	16
Number of layers	6
Bulk quantity	96
Weight	27,06 kg

LED line LITE

Code: 201385

EAN: 5905378201385

**Ceiling Light 4000K 12W 960lm round  
IP44 white LITE motion sensor**

**Example application**

