

LED line PRIME

Code: 201477

EAN: 5905378201477

**LED bulb GU10 6500K 5W 700lm 230V
120° Ceramic PRIME**



LED bulb GU10 5W 6500K from LED line PRIME is a perfect combination of modern technology and energy efficiency. It emits a bright, cool light with a luminous flux of 700 lumens, which translates into a high luminous efficiency of 140 lm/W. The product ensures a durability of up to 30,000 hours and as many as 50,000 turn cycles without loss of quality.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 5 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	700 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55
Fixture's diameter	50 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 201477


EAN: 5905378201477

**LED bulb GU10 6500K 5W 700lm 230V
120° Ceramic PRIME**


Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	35 mm
Height	53 mm
Length	35 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	0,024 m3
Weight	7 kg

Europallet

Height	1860 mm
Quantity in layer	400
Number of layers	12
Bulk quantity	4800
Weight	336 kg

LED line PRIME

Code: 201477

EAN: 5905378201477

**LED bulb GU10 6500K 5W 700lm 230V
120° Ceramic PRIME**

Example application

