

LED line PRIME

Code: 201330-LAW3HAT

EAN: 5905378218352

Panel Backlit 40W 4000K 4800lm
120x30 Emergency module PRIME
LAW3HAT



The Backlit 40W panel from the manufacturer LED line PRIME combines modern design with exceptional functionality. It emits a white light with a colour temperature of 4000 K and a total luminous flux of 4800 lm. Its light efficiency reaches 120 lm/W, making it an energy-efficient solution. The built-in emergency module provides up to 3 hours of operation in the event of no power supply.



Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Auto Test
Voltage	<ul style="list-style-type: none">220-240 V AC
Luminous efficacy	120
Colour of the light	White
Energy efficiency class 2019/2015	D
Luminous flux	4800
Colour consistency in McAdam ellipses	≤3
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Lifetime L70B50	75 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white

Parameter	Value
The lumen maintenance factor	96
Beam angle	120
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	48
Power Factor	0,9
Number of on/off cycles	25000
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
IEC protection class	II
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	<ul style="list-style-type: none">4000 K
Power	<ul style="list-style-type: none">40 W

LED line PRIME

Code: 201330-LAW3HAT

EAN: 5905378218352

**Panel Backlit 40W 4000K 4800lm
120x30 Emergency module PRIME
LAW3HAT**


Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 201330-LAW3HAT

EAN: 5905378218352

**Panel Backlit 40W 4000K 4800lm
120x30 Emergency module PRIME
LAW3HAT**

Example application