

LED line

Code: 477293

EAN: 5907777477293

LED line® strip 600 SMD 24V 4000K
9,6W 30m



Technical data

Parameter	Value	Parameter	Value
Luminous efficacy	100 lm/W	LED quantity	600
Colour of the light	White	Compatible dimmer type	PWM
Energy efficiency class 2019/2015	F	Laminate (colour)	White
Colour consistency in McAdam ellipses	≤3	Laminate (thickness)	2
IP protection rating	IP20	LED quantity (lm)	120
Warranty (years)	5	Cutting section	5
Dimmable function	PWM	Type of adhesive tape	3M 300 LSE
Survival factor	0.9	Colour consistency in McAdam ellipses	≤3
Minimum purchase quantity	30	Ambient temperature suitable for operation	-25÷45 °C
Lifetime L70B50	30 000	For indoor use	Inside
Wattage (lm)	9,6 W	IEC protection class	III
Current (lm)	0,4	Length	30000 mm
Colour rendering index Ra	80	Width	8 mm
Metres per roll	30 m	Height	2,5 mm
The lumen maintenance factor	96 %	Power	• 9,6
Beam angle	120 °	Voltage	• 24 V DC
LED type	SMD 2835	Correlated colour temperature	• 4000 K

LED line


Code: 477293

EAN: 5907777477293

LED line® strip 600 SMD 24V 4000K
9,6W 30m

Dimensions


Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

Number of pieces/tape in meters pack zb	1	Number of pieces/tapes in meters euro pallet	600
		Quantity collective euro pallet	30
		Weight of a euro pallet	303 kg
		Pallet height	1800
		Quantity in 1 layer	5
		Number of layers	6

LED line

Code: 477293

EAN: 5907777477293

**LED line® strip 600 SMD 24V 4000K
9,6W 30m**

Example application