

LED line LITE

Code: 241529

EAN: 5901583241529

**LED strip 300/5m SMD 12V YELLOW
4,8W IP67 10mm 5m LITE**

LED line 300 SMD 12V yellow 4.8W IP67 is an excellent lighting solution characterized by high quality and durability. Equipped with 300 4.8W SMD diodes per metre, it ensures even distribution of light. IP67 classification guarantees resistance to water and dust, making it universal for a variety of internal and external applications.



Technical data

Parameter	Value
Warranty	3
Power	• 4.8 W / m
Voltage	• 12 V DC
Colour of the light	Yellow
IP protection rating	IP67
IEC protection class	III
Cutting section	5 cm
The lumen maintenance factor	>0,7
Lifetime L70B50	30 000 h
Dimmable function	PWM
Current (Im)	0,4
Beam angle	120

Parameter	Value
LED type	SMD3528
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (1m)	60
Type of adhesive tape	Foam
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
Height	5

LED line LITE

Code: 241529

EAN: 5901583241529


**LED strip 300/5m SMD 12V YELLOW
4,8W IP67 10mm 5m LITE**

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Quantity	5 m
Weight	0,3586 kg



Bulk packaging

Quantity	100
Width	350 mm
Height	290 mm
Length	450 mm
Weight	12,55 kg
Comments	



Europallet

Quantity	960
Height	984 mm
Quantity in layer	8
Number of layers	3
Bulk quantity	24

LED line LITE

Code: 241529

EAN: 5901583241529

**LED strip 300/5m SMD 12V YELLOW
4,8W IP67 10mm 5m LITE**

Example application