

LED line PRIME

Code: 203129

EAN: 5905378203129

LED line PRIME Road luminaire CAMINO

150W 4000K 21000lm

ATTG D



Technical data

Parameter	Value	Parameter	Value
ULOR	0 %	Material (housing)	aluminum
Luminous efficacy	140 lm/W	LED type	LUMILEDS 2835
Colour of the light	White	LED quantity	240
Energy efficiency class 2019/2015	D	Power Factor	0,9
Luminous flux	21000 lm	Colour consistency in McAdam ellipses	≤6
Colour consistency in McAdam ellipses	≤6	Ambient temperature suitable for operation	-40÷50 °C
IP protection rating	IP66	For indoor and outdoor use	YES
Warranty (years)	5	IEC protection class	I
Survival factor	0.9	IK protection rating	08
Lifetime L70B50	100 000	Lamp's warm-up time to 60%	1
Frequency of the supply voltage	50/60Hz	Length	634 mm
Colour rendering index Ra	70	Width	240 mm
The lumen maintenance factor	96 %	Height	84 mm
Beam angle	150 x 110 °	Power	• 150 W
Material (cover)	tempered glass	Correlated colour temperature	• 4000 K

LED line PRIME

Code: 203129


EAN: 5905378203129

LED line PRIME Road luminaire CAMINO
150W 4000K 21000lm




Dimensions

Light distribution

Additional product photos



Logistics data



Single packaging

Width	634 mm
Height	84 mm mm
Length	240 mm mm
Weight	3,4 kg kg

Bulk packaging

Number of pieces/tape in meters pack zb	1 szt.
Width	6860 mm mm
Height of collective packaging	1160 mm
Length	2760 mm mm
Weight	
Volume	21,96 m3 m3

Europallet

Quantity collective euro pallet	64
Weight of a euro pallet	287,4 kg kg
Pallet height	192 cm
Number of layers	1

LED line PRIME

Code: 203129

EAN: 5905378203129

**LED line PRIME Road luminaire CAMINO
150W 4000K 21000lm**

Example application